

	Type	Hits	Search Text	DBs
1	IS&R	258	(327/359).CCLS.	US-PGPUB; USPAT
2	IS&R	755	(327/309).CCLS.	US-PGPUB; USPAT
3	IS&R	167	(327/318).CCLS.	US-PGPUB; USPAT
4	IS&R	178	(327/319-320).CCLS.	US-PGPUB; USPAT
5	IS&R	347	(327/321-322).CCLS.	US-PGPUB; USPAT
6	BRS	309	S8 not (S2 S5 S6)	US-PGPUB; USPAT
7	IS&R	404	(327/325,327,328).CCLS.	US-PGPUB; USPAT
8	BRS	331	S10 not (S2 S5 S6 S8)	US-PGPUB; USPAT
9	IS&R	1984	(361/56).CCLS.	US-PGPUB; USPAT
10	BRS	1957	S14 not (S2 S5 S6 S8 S10)	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	382	(361/90).CCLS.	US-PGPUB; USPAT
2	IS&R	L2	494	(361/91.1).CCLS.	US-PGPUB; USPAT
3	BRS	L3	4317	buffer same clamp\$3	USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	475	3 same resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	655	(input adj output I/O) same clamp\$3 same resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	592	5 not 4	USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	11877	clamp\$3 same resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	750	7 and clamp\$3.ti.	USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	274	clamp\$3.ti. and diode same resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	108	esd and diode and resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	12319	protect\$3 and diode and resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	3668	protect\$3.ti. and diode and resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L14	1472	11 and (buffer inverter)	USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L13	232	12 and (buffer inverter)	USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	1467	protect\$3 near2 circuit.ti. and diode and resistor	USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L18	268	clamp\$3.clm. same resistor.clm. same diode.clm.	US-PGPUB; USPAT
17	BRS	L19	339	(buffer inverter).clm. same resistor.clm. same diode.clm.	US-PGPUB; USPAT
18	IS&R	L20	978	(326/58,63,68).CCLS.	US-PGPUB; USPAT
19	BRS	L21	200	20 and diode and resistor	US-PGPUB; USPAT
20	IS&R	L26	1984	(361/56).CCLS.	US-PGPUB; USPAT
21	BRS	L27	783	26 and (switch fuse)	US-PGPUB; USPAT
22	BRS	L28	57	26 and (switch fuse) near2 diode	US-PGPUB; USPAT
23	IS&R	L29	3961	(327/309-333).CCLS.	US-PGPUB; USPAT
24	BRS	L30	52	29 and (switch fuse) near2 diode	US-PGPUB; USPAT
25	BRS	L31	16	9 and (switch\$3 fuse) near2 diode	USOCR; EPO; JPO; DERWENT; IBM_TDB